



# Product Specification

## for Laminate Worktops

Rebecca Checketts  
Business Specification Co-ordinator

01933 232 221  
[rchecketts@bushboard.co.uk](mailto:rchecketts@bushboard.co.uk)

# Options Worktops/Breakfast Bars/38mm with BB Complete

## Product description

Options laminated worksurfaces are constructed using high pressure laminates bonded to the front of the chipboard and brown melamine impregnated kraft paper to the back using adhesive. BB Complete is a high performance, single part, moisture curing hybrid adhesive, colour match sealant. BB Complete is used to install the Options laminated worksurfaces.

## Material classification

Laminates are classified D-s2, d0 as specified by supplier and conforms to BS EN 438. All timber based materials including high pressure decorative laminates are in compliance with European Timber Regulation 995/2010 and are sourced from PEFC Certified, or other Chain of Custody Certified or Controlled Wood supplies.

Chipboard conforms to BS EN 312 2003 Grade P2.  
Tested and certified to E1 emission standards.  
All worksurfaces are PEFC certified, promoting sustainable forest management.

BB Complete is temperature resistant between -40°C and 90°C.

## Designs

A full range of Decors and textures are available, refer to current brochure.  
A full range of matching splashbacks and upstands are available, refer to current brochure.  
A full range of matching BB Complete adhesives and sealants are available, refer to current brochure .

## Sizes, panel formats and weights (nominal)

3000x600x28mm single postformed worktop, weight 31.0 kg  
3000x900x28mm single postformed worktop, weight 46.0 kg  
3600x600x22mm single postformed worktop, weight 30.0 kg  
3000x900x22mm single postformed worktop, weight 39.0 kg  
3000x600x38mm single postformed worktop, weight 41.0 kg  
4100x600x38mm single postformed worktop, weight 55.5 kg  
4100x900x38mm double postformed worktop, weight 82.0 kg  
3600x600x38mm single postformed worktop, weight 51.5 kg  
3600x665x38mm single postformed worktop, weight 56.5 kg  
3600x900x38mm single postformed worktop, weight 76.0 kg

## BB Complete adhesives

BB Complete neutral panel adhesive comes in 290ml cartridges.  
BB Complete colour matched adhesive/sealant comes in 80ml and 290ml cartridges.  
All BB Complete cartridges will be suitable to be used with a C90 applicator gun.

## Backing

Bushboard brown melamine impregnated kraft paper.

## Edge Treatment

Q3 Profile 2 x 3mm radius.

Q10 Profile 2 x 10mm radius (2x Strass decors only).

Front edge Tekseal® one part polyurethane under edge seal.

Back edge finished in Bushboard branded brown melamine impregnated kraft paper.

## Packaging

All individually wrapped in plain shrinkwrap.

All Hi-gloss worktops have a heavy weight card edge protection system on postformed edges.

Full length matching laminate edging strip.

Care and maintenance leaflet included.

## Guarantee

Bushboard Options worksurfaces are guaranteed for their lifetime. Bushboard will make good by repair and /or replacement (at its discretion) any Options worksurfaces of its manufacture which can be shown to have failed by reason of defects in this manufacture, subject to wear and tear, provided the product has been installed and used in accordance with the manufacturer's instructions and that the products are used for their intended purpose. Proof of date and place of purchase required. This guarantee is in addition to your statutory rights as a consumer and does not affect your rights in any way.

Options worktops are certified to the FIRA Gold Award Scheme.

BB Complete adhesive used for all worktop joints has a 3 year guarantee.